
GALLERY® collection

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors®



GALLERY collection

Clopay's one and two-layer Gallery® collection combines stylish carriage house designs at more affordable prices. Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV and GD4LV).
- Long-life nylon rollers are quiet and durable.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.





Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated





Model	Description
GD5SV	25 Gauge, Short Panel, Insulated
GD4SV	24 Gauge, Short Panel, Insulated
GD4LV	24 Gauge, Long Panel, Insulated



DOOR DESIGNS



Long (GD4L and GD4LV)

GD5S/GD5SV available 5'0"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4S/GD4SV available 5'0"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4L/GD4LV available 7'8"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). All doors available 6'0"-16'0" high in 3" increments.

Standard hardware shown above.

COLORS









Standard White

Almond

Desert Tan

Sandtone Ch

- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

CUSTOM PAINT OPTION



Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

^{*} Not available on Models GD4L and GD4LV. Due to the printing process, colors may vary.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

HEIGHTS 7'0"-8'0"

MODELS

Illustrations simplified for clarity

10'6"-12'0'

9'0"-10'0"

GD5S, GD5SV, GD4S AND GD4SV WIDTHS 5'0"-6'0" 6'2"-7'6' 11'6"-14'6' 14'10"-19'0' 19'2"-20'0' 7'8"-10'0" Models GD5S and GD5SV available only in widths up to 18'. Long Top Section ARCH1 Plain Short Vertical Grille 4411 | 1111 | 4411 | 1111 on ARCH1 Grille on ARCH1 Plain Long 44 Db 44 Db REC12 ARCH2 REC14 Vertical Grille ---- ---- ---- ---an an an an an an on ARCH2 SQ22 Grille on ARCH2 SQ24 ARCH3 Trenton® Short† Vertical Grille HO HE OUR DOC DOC DOC HES DES on ARCH3 Trenton® Long† Grille on ARCH3 000000 000000 Clayton™ Short† Kristin® Short† *** * * *** 00 00 00 00 Kristin® Long† Clayton™ Long[†] 000000 Wrought Iron Short*† Wrought Iron Arch*† 36 36 38 38 88 88 88 88 88 88 88 ഞ്ഞ് ഞ്ഞ किंक किंक किंक किंक Wrought Iron Long*1 PEER PEER PER PER PER PER

^{*}Acrvlic

[†]Complements Clopay Entry Door glass.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

7'0"-8'0"

HEIGHTS

Illustrations simplified for clarity

10'6"-12'0'

9'0"-10'0

MODELS GD4L AND GD4LV WIDTHS 7'8"-10'0' 11'6"-14'6" 14'10"-19'0' 19'2"-20'0' 7'8"-10'0" Short Top Section ARCH1 [1] Plain Short Vertical Grille 4411 Illia 4411 Illia on ARCH1 11 Grille on ARCH1 Plain Long 441 Dis 441 Dis REC12 ARCH2 REC14 Vertical Grille ---- ---- ---- ---an an an an an an on ARCH2 Grille on ARCH2 SQ22 ----SQ24 ARCH3 Trenton® Short† Vertical Grille HAR CHA DOC HOD HER BEE DOC HOD on ARCH3 Trenton® Long† Grille on ARCH3 000000 000000 000000 000000 000000 000000 Kristin® Short† Clayton™ Short† *** * *** 000 000 000 000 Kristin® Long† Clayton™ Long[†] 00000 00000 0000000 Wrought Iron Short*1 Wrought Iron Arch*† 88 88 88 86 88 88 88 88 88 88 88 ഞ്ഞ് ഞ്ഞ ক্রিকে ক্রিকে ক্রিকে Wrought Iron Long*1 REEN REEN

^{*}Acrylic

[†]Complements Clopay Entry Door glass.

Windows





alli illia

Vertical Grille on ARCH1



Grille on ARCH1



ARCH2

Vertical Grille on ARCH2











Kristin® Short*

Trenton® Short*









Trenton® Long'



Clayton™ Lona*





Wrought Iron Short



Wrought Iron Long*



Wrought Iron Arch*

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

*Complements Clopay Entry Door glass.

Long and short windows may be used in any Gallery 1 and 2-layer model. Double strength glass is standard. Optional 1/8" obscure glass is available on all Gallery 1 and 2-layer models

Additional charges for optional glass apply.

Windows are available single pane or insulated in clear, frosted, seeded, obscure and rain designs. Clear acrylic also available.







Frosted



Seeded



Obscure



Decorative Hardware

STANDARD



Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen. See your Clopay Dealer for details.

> Operable L-Keylocks

Operable

T-Keylock

Escutcheon Plates

OPTIONAL



Spade Strap Hinge* (Complements Spade Lift Handles and Spade Step Plate)



†Aluminum construction. *Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

Warranties

25 GAUGE DOORS (GD5S and GD5SV)



LIMITED **10 YR** WARRANTY



24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)





the environment.

shipping, damage and handling.

clopaydoor.com/green

For more details on Clopay's green practices visit



A FOCUS ON ALCEN

The Gallery® Collection one and two-layer construction helps

conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient door. Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing

Clopay is committed to designing, manufacturing and

and value of your home while minimizing the impact on

distributing garage doors that enhance the beauty, safety

Additional Features



Large authentic arch window designs.



Decorative panel edging and natural embossed woodgrain texture.



MADE IN USA

For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).

Follow us on 📢 📆 💆 🧭 🕒 😝









